

NORTHERN POWER DISTRIBUTION COMPANY OF A.P LIMITED
CORPORATE OFFICE, WARANGAL-506 004.

Ph. No. 0870-2461507.
Fax No. 0870-2461519.

Ph : 0771 - 2323154
Fax: 0771 - 4281236

From
The Chief General Manager,
P&MM/ NPDCL,
H.No.1-1-504,
Opp.REC Petrol Bunk,
Hanamkonda, Warangal.

To
M/s. Chhattisgarh Steel Products,
Plot No. 190, 192, 193, Sector - C,
URLA Industrial Complex,
Raipur (C.G) - 493 221.

Lr. No.CGM/P&MM/NPDCL/WGL/P2/PM-3459-62, D.No. 3288, Dt.18-03-2011.

Sir,

Sub :- NPDCL, Wgl - Non Supply of materials 1) MS Angle 50x50x6mm, 2) MS Angle 65x65x6mm, 3) MS Channel 75x40mm and 4) MS Channel 100x50mm - Blacklisting of the firm - Intimated - Reg.

- Ref:-**
- 1) Tender Spc. No. CGM/P&MM/NPDCL/STN-01, STN-02, STN-03, STN-04/10-11
 - 2). P.O.No. CGM/P&MM/NPDCL/P2/STN-01/10-11/PM-3459, Dt. 10-12-2010
 - 3) P.O.No. CGM/P&MM/NPDCL/P2/STN-02/10-11/PM-3460, Dt. 10-12-2010
 - 4) P.O.No. CGM/P&MM/NPDCL/P2/STN-03/10-11/PM-3461, Dt. 10-12-2010
 - 5) P.O.No. CGM/P&MM/NPDCL/P2/STN-04/10-11/PM-3462, Dt. 10-12-2010
 - 6) Lr.No. CGM/P&MM/NPDCL/P2/D.No. 2603, Dt. 04-01-2011
 - 7) Lr.No. CGM/P&MM/NPDCL/P2/PM-3459/D.No. 2686, Dt. 12-01-2011
 - 8) Lr.No. CGM/P&MM/NPDCL/P2/PM-3460/D.No. 2687, Dt. 12-01-2011
 - 9) Lr.No. CGM/P&MM/NPDCL/P2/PM-3461/D.No. 2688, Dt. 12-01-2011
 - 10) Lr.No. CGM/P&MM/NPDCL/P2/PM-3462/D.No. 2689, Dt. 12-01-2011
 - 11) Lr.No. CGM/P&MM/NPDCL/P2/PM-3460/D.No. 2777, Dt. 24-01-2011
 - 12) Lr.No. CGM/P&MM/NPDCL/P2/PM-3459/D.No. 2778, Dt. 24-01-2011
 - 13) Lr.No. CGM/P&MM/NPDCL/P2/PM-3462/D.No. 2779, Dt. 24-01-2011
 - 14) Lr.No. CGM/P&MM/NPDCL/P2/PM-3461/D.No. 2780, Dt. 24-01-2011

@ @ @

Please refer to the purchase order 2nd to 5th cited placed on you for the following material for supply of 1) 200 MT MS Angle 50x50x6mm, 2) 100 MT MS Angle 65x65x6 mm, 3) 100 MT MS Channel 75x40 mm, 4) 100 MT MS Channel 100x50 mm in NPDCL (WGL, KNR, KMM, NZB & ADB) circles against the tender specifications as shown below.

Sl. No.	Tender No.	Material	P.O.No. Date	Qty. in MT	Delivery schedule
1	STN-01/10-11	MS Angle 50x50x6mm	PM-3459, Dt. 10-12-2010	200	10-01-2011 10-02-2011
2	STN-02/10-11	MS Angle 65x65x6 mm,	PM-3460, Dt. 10-12-2010	100	10-01-2011
3	STN-03/10-11	MS Channel 75x40 mm,	PM-3461, Dt. 10-12-2010	100	10-01-2011
4	STN-04/10-11	MS Channel 100x50 mm	PM-3462, Dt. 10-12-2010	100	10-01-2011

Further, it was requested to submit the 10% performance security and supply the above material as per the purchase order terms and conditions vide ref. 6th cited. It is regretted to note that you have neither submitted the 10% performance security nor supplied the material which has dislocated the programmed works of


APNPDCL. Again the 4 Nos. notices were served on your firm vide reference 7th to 10th cited requesting you to supply the material immediately without further delay. The blacklist notices were issued to you vide reference 11th to 14th cited. In spite of repeated correspondence, notices and blacklist notices served on you, you have neither responded nor supplied the material which has dislocated the programmed works of APNPDCL severely.

Under the above circumstances, the purchase orders issued vide reference 1st, 2nd, 3rd & 4th cited are herewith cancelled and your firm is "Blacklisted" for 2 years from the date of issue of this letter for violation of the purchase order terms and conditions. Further the amount available with APNPDCL towards EMD of all the 4 tenders cited in reference 2nd to 5th as shown below are forfeited, besides intimating the performance of your firm to all DISCOMs and APTRANSCO.

Sl. No.	Tender No.	Material	EMD Particulars		Under reference transmitted to Pay Officer
			D.D. No. or B.G. No. & Date.	Amount Rs	
1	STN-01/10-11	MS Angle 50x50x6mm	D.D. No. 000866, Dt. 14-09-2010	1,20,000.00	Endt. No. CGM/P&MM/NPDCL/WGL/P2/STN-01-04/10-11/ D.No. 2016, Dt. 11-10-2010
2	STN-02/10-11	MS Angle 65x65x6 mm,	D.D. No. 000867, Dt. 14-09-2010	60,000.00	
3	STN-03/10-11	MS Channel 75x40 mm,	D.D. No. 000868, Dt. 14-09-2010	60,000.00	
4	STN-04/10-11	MS Channel 100x50 mm	D.D. No. 000869, Dt. 14-09-2010	60,000.00	

Receipt of the letter may be acknowledged.

Yours faithfully,


Chief General Manager,
P&MM/ NPDCL/ Warangal.

Copy to

- The Chief General Manager/Expr./NPDCL/Warangal (***)
- The Superintending Engineer/Operation/WGL, KNR, KMM, NZB & ADB.
- The Accounts Officer / Expr., O/o. SE/OP/ WGL, KNR, KMM, NZB & ADB.
- The Asst. Divisional Engineer/Dist. Stores/ WGL, KNR, KMM, NZB & Nirmal.
- The Pay Officer/NPDCL/Warangal (***)
- The Divisional Engineer/P&MM-I/NPDCL/Warangal - for information

Copy Communicate to

- The Chief Engineer/Transmission/APTRANSCO/Vidhyuth Soudha/Hyderabad.
- The Chief Engineer/Lift Irrigation/APTRANSCO/Vidhyuth Soudha/Hyderabad.
- The Chief Engineer/Construction/APTRANSCO/Vidyut Soudha/Hyderabad.
- The Chief Engineer/Zone/Warangal & Nizamabad.
- The Chief General Manager/(Projects & RAC)/APNPDCL/Warangal.
- The Chief General Manager/Op., Comml. & IPC/APNPDCL/Warangal.
- The Chief General Manager/P&MM/APSPDCL, APCPDCL & APEPDCL.

(***) It is requested to arrange to forfeit the EMDs of the firm available with APNPDCL as shown in the table.